

Letter to the editor:

RECENT INSIGHTS INTO THE BIOLOGICAL FUNCTIONS OF APIGENIN

Jae Kwang Kim¹, Sang Un Park^{2*}

¹ Division of Life Sciences and Bio-Resource and Environmental Center, Incheon National University, Incheon 22012, Korea

² Department of Crop Science, Chungnam National University, 99 Daehak-ro, Yuseong-gu, Daejeon, 34134, Korea

* **Corresponding author:** Sang Un Park, Department of Crop Science, Chungnam National University, 99 Daehak-ro, Yuseong-gu, Daejeon, 34134, Korea. Tel.: +82-42-821-5730, Fax: +82-42-822-2631, E-mail: supark@cnu.ac.kr

<http://dx.doi.org/10.17179/excli2020-2579>

This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0/>).

Dear Editor,

Apigenin (4',5,7-trihydroxyflavone) belongs to the group of flavonoids positioned on the backbone of 2-phenylchromen-4-one (2-phenyl-1-benzopyran-4-one) and is most extensively allocated in herbs, vegetables, and fruits (Shankar et al., 2017; Sharma et al., 2019). Biosynthetically, apigenin is obtained from the phenylpropanoid pathway and also from the flavone synthesis pathway (Forkmann, 1991) The pathway of phenylpropanoid begins from the aromatic amino acids L-phenylalanine or L-tyrosine, both products of the shikimate pathway (Herrmann, 1995).

In several recent studies, it has been shown that apigenin has a number of valuable bioactive functions, including antibacterial, antiviral, antiproliferative, anti-inflammatory, antioxidant, antiangiogenic, and anticancer activities (Kowalczyk et al., 2017; Nabavi et al., 2018; Ghițu et al., 2019).

From the results of several *in vivo* and *in vitro* studies and clinical trials, apigenin has been shown to be an effective curative treatment for rheumatoid arthritis, autoimmune disorders, Parkinson's disease, Alzheimer's disease, and several types of cancers (Tang et al., 2017; Salehi et al., 2019). Here, we summarize the key findings of the biological and pharmacological actions of apigenin (Table 1).

Table 1: Recent studies of the biological and pharmacological activities of apigenin

Key findings	Reference
Apigenin retards the growth of tumor during the estrogen receptor-mediated PI3K/Akt/mTOR pathway and also acts to reduce the effects of histamine on tumors.	Zhang et al., 2020
The alteration of both apigenin and luteolin signaling pathways acts to inhibit IL-31 and IL-33, which indicates the importance of these two cytokines in neurodegenerative diseases.	Chen et al., 2020
Apigenin enhances the anti-lymphoma effect of Bruton's tyrosine kinase inhibitors and imparts to targeted therapy of those arise resistance.	Huang et al., 2020
It has been proposed that apigenin could act to reduce pulmonary hypertension by inhibiting the hypoxia-induced factor-1 α -KV1.5 channel pathway to provoke pulmonary artery smooth muscle cell (PASMC) mitochondria-dependent apoptosis.	He et al., 2020
Apigenin has been recognized as a factor in the treatment of ischemic heart disease, as it has a protective effect against myocardial ischemia/reperfusion injury in rats and oxygen and glucose deprived/reoxygenation-induced injury in cardiomyocytes by suppressing translocation of NF- κ B, thus reducing the inflammatory response.	Quan et al., 2020
Apigenin has been shown to be effective in repressing the formation of abdominal aortic aneurysms (AAA) by inhibiting the NF- κ B signaling pathway, which suggests that apigenin might have potential as a therapeutic drug in prevention of AAA.	Li et al., 2020
It is noted that apigenin could enhance lipid metabolism by activating the AMP-activated protein kinase-sterol regulatory element-binding protein (AMPK-SREBP) pathway to reduce lipid accumulation in the liver.	Lu et al., 2019
Both anti-allergic and anti-neutrophil-related inflammatory effects have been observed when apigenin is used as a treatment in a murine asthma model under particulate matter of PM2.5, perhaps by changing IL-17 and down-regulating the NF- κ B expression. Therefore, apigenin can be seen as a candidate to treat PM2.5 exposure-enhanced pre-existing asthma.	Pang et al., 2019
Apigenin is recognized as a novel IL-6 transcription inhibitor with possible anti-cancer effects. The application of apigenin in the clinical treatment of esophageal cancer warrants further study.	Qiu et al., 2019
Apigenin can slow the proliferation of fibroblast and decrease epidural fibrosis by repressing the Wnt3a/ β -catenin signaling pathway. This may be a new approach to prevent or delay the onset of epidural fibrosis.	Jiao et al., 2019
Apigenin could help in cases of ACN (acrylonitrile)-induced neurotoxicity in the brain by inhibiting the TLR4/NF (necrosis factor)- κ B signaling pathway and could demonstrate additional neuroprotective effects.	Zhao et al., 2019
Through the AMPK/mTOR (mammalian target of rapamycin) pathway, apigenin actively supports autophagy, thus providing anti-depressive effects in chronic restraint stressed mice.	Zhang et al., 2019
Apigenin has an anti-invasive effect in the breast cancer cell line MDA-MB-231-derived xenograft tumors, by hindering the IL-6-linked downstream signaling pathway.	Lee et al., 2019
The application of apigenin resulted in reduced growth of cisplatin-resistant colon cancer cells both <i>in vitro</i> and <i>in vivo</i> . Apigenin might be utilized to enhance the therapy of colon cancer.	Chen et al., 2019
Apigenin reduces contractions induced by several vasoconstrictors in rat intrarenal arteries (RIRA) by suppressing CaCC (Ca ²⁺ activated Cl ⁻ channels) currents and augmenting Kv (voltage-dependent) currents in RIRA arterial smooth muscle cells.	Jing et al., 2019
From the clinical trial both in <i>in vitro</i> and <i>in vivo</i> , it has been reported that apigenin prevented the epithelial-mesenchymal transition, migration, and invasion of human colon cancer cells through the NF- κ B/Snail pathway.	Tong et al., 2019
Apigenin can slow the progression and lessen the severity of acute pancreatitis. Apigenin can also serve as a supplemental therapeutic strategy in critical pancreatitis.	Charalabopoulos et al., 2019

Key findings	Reference
Recent studies have shown that apigenin can easily decrease cardiac injuries provoked by doxorubicin through anti-fibrotic, antioxidant, and anti-apoptotic properties. It appears that apigenin inhibits cardiac injuries and helps to recover cardiac function.	Zare et al., 2019
Very recently, it was reported that apigenin apparently slows the growth and migration of hypertrophic scar fibroblasts by reducing focal adhesion kinase signaling. From this finding, it can be proposed that apigenin might be a new option for the treatment of hypertrophic scars.	Wang et al., 2019
Apigenin can be used as a potential agent to improve health disorders resulted from advanced glycation end products by changing cellular inflammatory and antioxidant defense signaling pathways.	Zhou et al., 2019
Apigenin protects against collagen-induced arthritis by suppressing synovial hyperplasia, angiogenesis, and osteoclastogenesis. Apigenin can be considered as a putative low-toxicity candidate drug for rheumatoid arthritis treatment.	Li et al., 2019
It is reported that apigenin lowered inflammatory responses in experimental models of recurrent acute pancreatitis. The mechanisms intervene the actions of apigenin, in part, are outstanding to decrease parathyroid hormone-related protein and transforming growth factor β pro inflammatory signaling.	Mrazek et al., 2019
Due to the ability to protect against UVA and UVB-induced skin damage, apigenins could be interesting candidates for the improvement of oral and topical photoprotective ingredients. In particular, the capability of apigenin-K to increase water solubility makes it the best candidate for further development.	Sánchez-Marzo et al., 2019
Apigenin could be a strong dietary anti-oxidant regimen against EDF-induced toxicity through its activities against cytotoxicity and DNA damage in lymphocytes.	Ahmad et al., 2019
Apigenin showed a positive response against paraquat-induced acute lung injury as well as immunotoxicity by modulating inflammation and oxidative stress.	Liu et al., 2018
Melanoma growth could be restricted by treatment with apigenin, which exhibits multiple mechanisms through repression of programmed cell death ligand-1 expression.	Xu et al., 2018
Both <i>in vivo</i> and <i>in vitro</i> trials of apigenin revealed that it can defend renal function against ischemia/reperfusion injury and also inhibit the growth of renal tubular cells from apoptosis through phosphoinositide 3-kinase (PI3K)/Akt mediated mitochondria-dependent apoptosis signaling pathway.	Wang et al., 2018
It is reported that apigenin could protect against isoproterenol hydrochloride-induced antioxidant depletion, oxidative DNA damage, and inflammatory and apoptotic signaling in H9C2 cells. These findings suggest that apigenin has a cardioprotective effect on cardiomyoblast cells.	Thangaiyan et al., 2018
The cutaneous tumor suppressor thrombospondin-1 is considered a key mediator of the anticancer effect of apigenin <i>in vivo</i> on skin, particularly showing its anti-inflammatory property.	Mirzoeva et al., 2018
Apigenin exerts a strong protective effect against 3-chloro-1, 2-propanediol (3-MCPD)-induced renal injury by modifying the mitochondria-dependent caspase cascade pathway.	Zhong et al., 2018
It is concluded that apigenin impaired atherogenesis by up-regulating ATP binding cassette A1-mediated cholesterol efflux, thus hindering inflammation.	Ren et al., 2018
Treating with apigenin can successfully control mouse mesothelial peritoneal cell fibrosis induced by high glucose, regulated by the suppression of miR34a expression.	Zhang et al., 2018
Recently it was reported that apigenin was able to protect mouse embryos against H ₂ O ₂ and actinomycin D, as evidenced by the increase in the number of viable blastomeres and decrease in the number of apoptotic blastomeres. The mechanisms of increasing the rate of hatching in mouse embryos through expanding the blastocysts, thinning of the zona pellucida thickness.	Safari et al., 2018
Through the activation of the Nrf2 (nuclear factor erythroid-derived 2-related factor 2) signaling pathway and inhibition of the NF- κ B signaling pathway, apigenin can protect against lipopolysaccharide-induced endometritis.	Jiang et al., 2018

Key findings	Reference
Treatment with apigenin might reduce cognitive deficits and reverse behavior impairments, without changing seizure acuteness in kindled mice. These effects can be attributed to cAMP response element binding protein / brain-derived neurotrophic factor upregulation in the hippocampus.	Sharma et al., 2018
<i>In vivo</i> trials of apigenin showed efficient anti-plasmodial action against <i>Plasmodium berghei</i> infection in mice, with high selectivity against malaria.	Amiri et al., 2018
Apigenin can act as a phytoprogestin with mixed agonist activity <i>in vivo</i> by impeding estrogen receptor-mediated uterine proliferation.	Dean et al., 2018
Apigenin can apparently act to inhibit denervation-induced muscle atrophy, through the inhibitory effect on inflammatory processes within muscle.	Choi et al., 2018
Apigenin can be used to improve death receptor 5 apoptosis by stimulating apoptotic caspases through upregulating death receptor 5 expression, regardless of ROS generation. This may be a promising strategy for an adjuvant of TRAIL.	Kang et al., 2018
Through suppressing STAT3-NF-κB signaling, apigenin is considered to inhibit inflammation and inflammation-induced carcinogenesis in inflammatory bowel disease and colitis-associated cancer.	Ai et al., 2017
Apigenin can be used as a potent bioactive agent to increase dopamine content, reduce oxidative stress as well as apoptosis, and prolong life in transgenic <i>Drosophila</i> model of Parkinson's disease.	Siddique and Jyoti, 2017
It is noted that apigenin showed a defensive response to alcohol-induced liver injury, which could be explained by the regulation of hepatic cytochrome P450 2E1-mediated oxidative stress and peroxisome proliferator-activated receptor alpha-mediated lipogenic gene expression.	Wang et al., 2017
It has been determined that memory impairment induced by isoflurane exposure is closely related to dysregulated histone acetylation in the hippocampus, which influences brain-derived neurotrophic (BDNF) expression and hence the BDNF downstream signaling pathway. Apigenin improves cognitive function by restoring histone acetylation and suppressing neuroinflammation.	Chen et al., 2017
Apigenin has been shown to defend skin cells through its sunscreen effect against UVB-induced cyclobutane pyrimidine dimers formation. For this reason, apigenin can be designated as an efficient means of protection against UV-induced skin damage.	Britto et al., 2017
By amending ROS-mediated mitochondrial dysfunction and the caspase signal pathway, apigenin protects against patulin-induced apoptosis in HEK293 cells.	Zhong et al., 2017
Apigenin may show anti-senescent activity by activating the Nrf2 pathway. Such a mechanism could be an effective strategy for delaying the aging process.	Sang et al., 2017
Apigenin can improve renal damage due to DN (diabetic nephropathy) by suppressing oxidative stress and fibrosis and also by slowing the MAPK pathway.	Malik et al., 2017
Apigenin can contribute to the reduction in blood fat <i>in vivo</i> through enhancing the absorption and conversion of cholesterol and hastening reverse cholesterol transport. It is also reported that apigenin has a role in fighting oxidization and protecting blood vessels.	Zhang et al., 2017
Apigenin can reverse nonalcoholic fatty liver disease through a new regulating mode of Nrf2 and peroxisome proliferator-activated receptor gamma by reducing lipid metabolism and oxidative stress abnormality.	Feng et al., 2017
Apigenin might have potential as a new drug for the treatment of hepatocellular carcinoma. The technology of optical molecular imaging permitted the non-invasive and reliable assessment of anti-tumor drug efficacy in liver cancer.	Li et al., 2017
Apigenin exhibited a potent inhibitory effect on pathways involved in glioblastoma (GBM) proliferation and survival and might effectively be used as a therapeutic agent for GBM.	Stump et al., 2017
Apigenin could have a neuroprotective effect, as it shows both anti-oxidation and anti-apoptosis activity. These findings form a theoretical foundation on which an effective drug for treatment of subarachnoid hemorrhage can be based.	Han et al., 2017

Key findings	Reference
It is reported that apigenin can control the level of lipid peroxidation and considerably increase the enzyme antioxidant mechanisms in paracetamol-induced hepatotoxicity in rats.	Rašković et al., 2017
To maintain T cell homeostasis in murine pancreatic cancer, apigenin may be a promising therapeutic agent, by stabilizing Ikaros expression and function.	Nelson et al., 2017
Due to the antioxidant and anti-inflammatory effects of apigenin, it can be considered a protective and promising preventive strategy against cisplatin-induced nephrotoxicity.	Hassan et al., 2017
By reducing the promoter activities of two viral IE (immediate-early) genes, apigenin protects against Epstein-Barr virus (EBV) reactivation and can be considered a potential dietary agent for prevention of EBV reactivation.	Wu et al., 2017
Compared with conventional therapies, apigenin demonstrates synergistic effects in combinatorial therapy and stimulates apoptosis in prostate cancer models.	Ganai, 2017
Apigenin inhibits the expression of cancer stem cell markers and also the number of cells expressing cell surface markers under hypoxia.	Ketkaew et al., 2017

Acknowledgments

This research was supported by Golden Seed Project (213006051WTE11) funded by the Ministry of Agriculture, Food and Rural Affairs (MAFRA), the Ministry of Oceans and Fisheries (MOF), the Rural Development Administration (RDA), and the Korea Forest Service (KFS), Republic of Korea.

Conflict of interest

The authors declare no conflict of interest.

REFERENCES

- Ahmad A, Zafar A, Ahmad M. Mitigating effects of apigenin on edifenphos-induced oxidative stress, DNA damage and apoptotic cell death in human peripheral blood lymphocytes. *Food Chem Toxicol.* 2019;127:218–27.
- Ai XY, Qin Y, Liu HJ, Cui ZH, Li M, Yang JH, et al. Apigenin inhibits colonic inflammation and tumorigenesis by suppressing STAT3-NF- κ B signaling. *Oncotarget.* 2017;8:100216–26.
- Amiri M, Nourian A, Khoshkam M, Ramazani A. Apigenin inhibits growth of the *Plasmodium berghei* and disrupts some metabolic pathways in mice. *Phytother Res.* 2018;32:1795–802.
- Britto SM, Shanthakumari D, Agilan B, Radhiga T, Kanimozhi G, Prasad NR. Apigenin prevents ultraviolet-B radiation induced cyclobutane pyrimidine dimers formation in human dermal fibroblasts. *Mutat Res.* 2017;821:28–35.
- Charalabopoulos A, Davakis S, Lambropoulou M, Papalois A, Simopoulos C, Tsaroucha A. Apigenin exerts anti-inflammatory effects in an experimental model of acute pancreatitis by down-regulating TNF- α . *In Vivo.* 2019;33:1133–41.
- Chen DN, Cho BO, Kim JS, Shin JY, Kang HJ, Jang SI. Effect of luteolin and apigenin on the production of IL-31 and IL-33 in lipopolysaccharides-activated microglia cells and their mechanism of action. *Nutrients.* 2020;12:811.
- Chen L, Xie W, Xie W, Zhuang W, Jiang C, Liu N. Apigenin attenuates isoflurane-induced cognitive dysfunction via epigenetic regulation and neuroinflammation in aged rats. *Arch Gerontol Geriatr.* 2017;73:29–36.
- Chen X, Xu H, Yu X, Wang X, Zhu X, Xu X. Apigenin inhibits in vitro and in vivo tumorigenesis in cisplatin-resistant colon cancer cells by inducing autophagy, programmed cell death and targeting m-TOR/PI3K/Akt signalling pathway. *J BUON.* 2019;24:488–93.
- Choi WH, Jang YJ, Son HJ, Ahn J, Jung CH, Ha TY. Apigenin inhibits sciatic nerve denervation-induced muscle atrophy. *Muscle Nerve.* 2018;58:314–8.
- Dean M, Austin J, Jinhong R, Johnson ME, Lantvit DD, Burdette JE. The flavonoid apigenin is a progesterone receptor modulator with In vivo activity in the uterus. *Horm Cancer.* 2018;9:265–77.
- Feng X, Yu W, Li X, Zhou F, Zhang W, Shen Q, et al. Apigenin, a modulator of PPAR γ , attenuates HFD-induced NAFLD by regulating hepatocyte lipid metabolism and oxidative stress via Nrf2 activation. *Biochem Pharmacol.* 2017;136:136–49.

- Forkmann G. Flavonoids as flower pigments: The formation of the natural spectrum and its extension by genetic engineering. *Plant Breeding*. 1991;106:1–26.
- Ganai SA. Plant-derived flavone apigenin: The small-molecule with promising activity against therapeutically resistant prostate cancer. *Biomed Pharmacother*. 2017;85:47–56.
- Ghițu A, Schwiebs A, Radeke HH, Avram S, Zupko I, Bor A, et al. A comprehensive assessment of apigenin as an antiproliferative, proapoptotic, antiangiogenic and immunomodulatory phytochemical. *Nutrients*. 2019;11:858.
- Han Y, Zhang T, Su J, Zhao Y, Chenchen, Wang, et al. Apigenin attenuates oxidative stress and neuronal apoptosis in early brain injury following subarachnoid hemorrhage. *J Clin Neurosci*. 2017;40:157–62.
- Hassan SM, Khalaf MM, Sadek SA, Abo-Youssef AM. Protective effects of apigenin and myricetin against cisplatin-induced nephrotoxicity in mice. *Pharm Biol*. 2017;55:766–74.
- He Y, Fang X, Shi J, Li X, Xie M, Liu X. Apigenin attenuates pulmonary hypertension by inducing mitochondria-dependent apoptosis of PASMCs via inhibiting the hypoxia inducible factor 1 α -KV1.5 channel pathway. *Chem Biol Interact*. 2020;317:108942.
- Herrmann KM. The shikimate pathway as an entry to aromatic secondary metabolism. *Plant Physiol*. 1995;107:7–12.
- Huang S, Yu M, Shi N, Zhou Y, Li F, Li X, et al. Apigenin and Abivertinib, a novel BTK inhibitor synergize to inhibit diffuse large B-cell lymphoma in vivo and vitro. *J Cancer*. 2020;11:2123–32.
- Jiang PY, Zhu XJ, Zhang YN, Zhou FF, Yang XF. Protective effects of apigenin on LPS-induced endometritis via activating Nrf2 signaling pathway. *Microb Pathog*. 2018;123:139–43.
- Jiao R, Chen H, Wan Q, Zhang X, Dai J, Li X, et al. Apigenin inhibits fibroblast proliferation and reduces epidural fibrosis by regulating Wnt3a/ β -catenin signaling pathway. *J Orthop Surg Res*. 2019;14:258.
- Jing Y, Chen R, Dong M, Liu Y, Hou X, Guo P, et al. Apigenin relaxes rat intrarenal arteries, depresses Ca(2+)-activated Cl(-) currents and augments voltage-dependent K(+) currents of the arterial smooth muscle cells. *Biomed Pharmacother*. 2019;115:108926.
- Kang CH, Molagoda IMN, Choi YH, Park C, Moon DO, Kim GY. Apigenin promotes TRAIL-mediated apoptosis regardless of ROS generation. *Food Chem Toxicol*. 2018;111:623–30.
- Ketkaew Y, Osathanon T, Pavasant P, Soompon S. Apigenin inhibited hypoxia induced stem cell marker expression in a head and neck squamous cell carcinoma cell line. *Arch Oral Biol*. 2017;74:69–74.
- Kowalczyk A, Bodalska A, Miranowicz M, Karłowicz-Bodalska K. Insights into novel anticancer applications for apigenin. *Adv Clin Exp Med*. 2017;26:1143–6.
- Lee HH, Jung J, Moon A, Kang H, Cho H. Antitumor and anti-invasive effect of apigenin on human breast carcinoma through suppression of IL-6 expression. *Int J Mol Sci*. 2019;20:E3143.
- Li D, Ma J, Wang L, Xin S. Spigenin prevent abdominal aortic aneurysms formation by inhibiting the NF- κ B signaling pathway. *J Cardiovasc Pharmacol*. 2020;75:229–39.
- Li G, Chi CW, Shao XF, Fang CH. Application of molecular imaging technology in evaluating the inhibiting effect of apigenin in vivo on subcutaneous hepatocellular carcinoma. *Biochem Biophys Res Commun*. 2017;487:122–7.
- Li Y, Yang B, Bai JY, Xia S, Mao M, Li X, et al. The roles of synovial hyperplasia, angiogenesis and osteoclastogenesis in the protective effect of apigenin on collagen-induced arthritis. *Int Immunopharmacol*. 2019;73:362–9.
- Liu Y, Li Z, Xue X, Wang Y, Zhang Y, Wang J. Apigenin reverses lung injury and immunotoxicity in paraquat-treated mice. *Int Immunopharmacol*. 2018;65:531–8.
- Lu J, Meng Z, Cheng B, Liu M, Tao S, Guan S. Apigenin reduces the excessive accumulation of lipids induced by palmitic acid via the AMPK signaling pathway in HepG2 cells. *Exp Ther Med*. 2019;18:2965–71.
- Malik S, Suchal K, Khan SI, Bhatia J, Kishore K, Dinda AK, et al. Apigenin ameliorates streptozotocin-induced diabetic nephropathy in rats via MAPK-NF- κ B-TNF- α and TGF- β 1-MAPK-fibronectin pathways. *Am J Physiol Renal Physiol*. 2017;313:F414–22.
- Mirzoeva S, Tong X, Bridgeman BB, Plebanek MP, Volpert OV. Apigenin inhibits UVB-induced skin carcinogenesis: The role of thrombospondin-1 as an anti-inflammatory factor. *Neoplasia*. 2018;20:930–42.
- Mrazek AA, Bhatia V, Falzon M, Spratt H, Chao C, Hellmich MR. Apigenin decreases acinar cell damage in pancreatitis. *Pancreas*. 2019;48:711–8.
- Nabavi SF, Khan H, D'onofrio G, Šamec D, Shirooie S, Dehpour AR, et al. Apigenin as neuroprotective agent: Of mice and men. *Pharmacol Res*. 2018;128:359–65.

- Nelson N, Szekeres K, Iclozan C, Rivera IO, McGill A, Johnson G, et al. Apigenin: Selective CK2 inhibitor increases Ikaros expression and improves T cell homeostasis and function in murine pancreatic cancer. *PLoS One*. 2017;12:e0170197.
- Pang L, Zou S, Shi Y, Mao Q, Chen Y. Apigenin attenuates PM2.5-induced airway hyperresponsiveness and inflammation by down-regulating NF- κ B in murine model of asthma. *Int J Clin Exp Pathol*. 2019;12:3700-9.
- Qiu JG, Wang L, Liu WJ, Wang JF, Zhao EJ, Zhou FM, et al. Apigenin inhibits IL-6 transcription and suppresses esophageal carcinogenesis. *Front Pharmacol*. 2019;10:1002.
- Quan W, Ma S, Zhu Y, Shao Q, Hou J, Li X. Apigenin-7-O- β -d-(6''-p-coumaroyl)-glucopyranoside reduces myocardial ischaemia/reperfusion injury in an experimental model via regulating the inflammation response. *Pharm Biol*. 2020;58:80–8.
- Rašković A, Gigov S, Čapo I, Paut Kusturica M, Milijašević B, Kojić-Damjanov S, et al. Antioxidative and protective actions of apigenin in a paracetamol-induced hepatotoxicity rat model. *Eur J Drug Metab Pharmacokinet*. 2017;42:849–56.
- Ren K, Jiang T, Zhou HF, Liang Y, Zhao GJ. Apigenin retards atherogenesis by promoting ABCA1-mediated cholesterol efflux and suppressing inflammation. *Cell Physiol Biochem*. 2018;47:2170–84.
- Safari M, Parsaie H, Sameni HR, Aldaghi MR, Zarbakhsh S. Anti-oxidative and anti-apoptotic effects of apigenin on number of viable and apoptotic blastomeres, zona pellucida thickness and hatching rate of mouse embryos. *Int J Fertil Steril*. 2018;12:257–62.
- Salehi B, Venditti A, Sharifi-Rad M, Kręgiel D, Sharifi-Rad J, Durazzo A, et al. The therapeutic potential of apigenin. *Int J Mol Sci*. 2019;20:E1305.
- Sánchez-Marzo N, Pérez-Sánchez A, Ruiz-Torres V, Martínez-Tébar A, Castillo J, Herranz-López M, et al. Antioxidant and photoprotective activity of apigenin and its potassium salt derivative in human keratinocytes and absorption in caco-2 cell monolayers. *Int J Mol Sci*. 2019;20:2148.
- Sang Y, Zhang F, Wang H, Yao J, Chen R, Zhou Z, et al. Apigenin exhibits protective effects in a mouse model of d-galactose-induced aging via activating the Nrf2 pathway. *Food Funct*. 2017;8:2331–40.
- Shankar E, Goel A, Gupta K, Gupta S. Plant flavone apigenin: An emerging anticancer agent. *Curr Pharmacol Rep*. 2017;3:423–46.
- Sharma A, Ghani A, Sak K, Tuli HS, Sharma AK, Setzer WN, et al. Probing into therapeutic anti-cancer potential of apigenin: Recent trends and future directions. *Recent Pat Inflamm Allergy Drug Discov*. 2019;13:124-33.
- Sharma P, Sharma S, Singh D. Apigenin reverses behavioural impairments and cognitive decline in kindled mice via CREB-BDNF upregulation in the hippocampus. *Nutr Neurosci*. 2018;30:1–10.
- Siddique YH, Jyoti S. Alteration in biochemical parameters in the brain of transgenic *Drosophila melanogaster* model of Parkinson's disease exposed to apigenin. *Integr Med Res*. 2017;6:245–53.
- Stump TA, Santee BN, Williams LP, Kunze RA, Heinze CE, Huseman ED, et al. The antiproliferative and apoptotic effects of apigenin on glioblastoma cells. *J Pharm Pharmacol*. 2017;69:907–16.
- Tang D, Chen K, Huang L, Li J. Pharmacokinetic properties and drug interactions of apigenin, a natural flavone. *Expert Opin Drug Metab Toxicol*. 2017;13:323–30.
- Thangaiyan R, Robert BM, Arjunan S, Govindasamy K, Nagarajan RP. Preventive effect of apigenin against isoproterenol-induced apoptosis in cardiomyoblasts. *J Biochem Mol Toxicol*. 2018;32:e22213.
- Tong J, Shen Y, Zhang Z, Hu Y, Zhang X, Han L. Apigenin inhibits epithelial-mesenchymal transition of human colon cancer cells through NF- κ B/Snail signaling pathway. *Biosci Rep*. 2019;39:BSR20190452.
- Wang F, Liu JC, Zhou RJ, Zhao X, Liu M, Ye H, et al. Apigenin protects against alcohol-induced liver injury in mice by regulating hepatic CYP2E1-mediated oxidative stress and PPAR α -mediated lipogenic gene expression. *Chem Biol Interact*. 2017;275:171–7.
- Wang H, Guo B, Lin S, Chang P, Tao K. Apigenin inhibits growth and migration of fibroblasts by suppressing FAK signaling. *Aging*. 2019;11:3668–78.
- Wang X, Wang W, Wang JZ, Yang C, Liang CZ. Effect of apigenin on apoptosis induced by renal ischemia/reperfusion injury in vivo and in vitro. *Ren Fail*. 2018;40:498–505.
- Wu CC, Fang CY, Cheng YJ, Hsu HY, Chou SP, Huang SY, et al. Inhibition of epstein-barr virus reactivation by the flavonoid apigenin. *J Biomed Sci*. 2017;24:2.
- Xu L, Zhang Y, Tian K, Chen X, Zhang R, Mu X, et al. Apigenin suppresses PD-L1 expression in melanoma and host dendritic cells to elicit synergistic therapeutic effects. *J Exp Clin Cancer Res*. 2018;37:261.

- Zare MFR, Rakhshan K, Aboutaleb N, Nikbakht F, Naderi N, Bakhshesh M, et al. Apigenin attenuates doxorubicin induced cardiotoxicity via reducing oxidative stress and apoptosis in male rats. *Life Sci.* 2019;4:116623.
- Zhang E, Zhang Y, Fan Z, Cheng L, Han S, Che H. Apigenin inhibits histamine-induced cervical cancer tumor growth by regulating estrogen receptor expression. *Molecules.* 2020;25:E1960.
- Zhang K, Song W, Li D, Jin X. Apigenin in the regulation of cholesterol metabolism and protection of blood vessels. *Exp Ther Med.* 2017;13:1719–24.
- Zhang X, Bu H, Jiang Y, Sun G, Jiang R, Huang X, et al. The antidepressant effects of apigenin are associated with the promotion of autophagy via the mTOR/AMPK/ULK1 pathway. *Mol Med Rep.* 2019;20:2867–74.
- Zhang Y, Sun Q, Li X, Ma X, Li Y, Jiao Z, et al. Apigenin suppresses mouse peritoneal fibrosis by down-regulating miR34a expression. *Biomed Pharmacother.* 2018;106:373–80.
- Zhao F, Dang Y, Zhang R, Jing G, Liang W, Xie L, et al. Apigenin attenuates acrylonitrile-induced neuro-inflammation in rats: Involved of inactivation of the TLR4/NF- κ B signaling pathway. *Int Immunopharmacol.* 2019;75:105697.
- Zhong Y, Jin C, Gan J, Wang X, Shi Z, Xia X, et al. Apigenin attenuates patulin-induced apoptosis in HEK293 cells by modulating ROS-mediated mitochondrial dysfunction and caspase signal pathway. *Toxicon.* 2017;137:106–13.
- Zhong Y, Jin C, Wang X, Li X, Han J, Xue W, et al. Protective effects of apigenin against 3-MCPD-induced renal injury in rat. *Chem Biol Interact.* 2018;296:9–17.
- Zhou Q, Cheng KW, Gong J, Li ETS, Wang M. Apigenin and its methylglyoxal-adduct inhibit advanced glycation end products-induced oxidative stress and inflammation in endothelial cells. *Biochem Pharmacol.* 2019;166:231–41.