

checkCIF/PLATON report

Structure factors have been supplied for datablock(s) mo_b0201_0m

THIS REPORT IS FOR GUIDANCE ONLY. IF USED AS PART OF A REVIEW PROCEDURE FOR PUBLICATION, IT SHOULD NOT REPLACE THE EXPERTISE OF AN EXPERIENCED CRYSTALLOGRAPHIC REFEREE.

No syntax errors found. CIF dictionary Interpreting this report

Datablock: mo_b0201_0m

Bond precision: C-C = 0.0094 Å

Wavelength=0.71073

Cell: a=9.9882(18) b=11.630(2) c=12.246(2)
 alpha=95.148(7) beta=111.187(6) gamma=111.106(7)
Temperature: 100 K

	Calculated	Reported
Volume	1197.2(4)	1197.2(4)
Space group	P -1	P -1
Hall group	-P 1	-P 1
Moiety formula	C50 H52 Br2 Fe2 N2 O2 Si2 Zn2	C50 H52 Br2 Fe2 N2 O2 Si2 Zn2
Sum formula	C50 H52 Br2 Fe2 N2 O2 Si2 Zn2	C50 H52 Br2 Fe2 N2 O2 Si2 Zn2
Mr	1171.40	1171.37
Dx, g cm ⁻³	1.625	1.625
Z	1	1
Mu (mm ⁻¹)	3.344	3.344
F000	592.0	592.0
F000'	593.00	
h,k,lmax	12,14,15	12,14,15
Nref	4700	4681
Tmin,Tmax	0.663,0.718	0.019,0.044
Tmin'	0.511	

Correction method= # Reported T Limits: Tmin=0.019 Tmax=0.044
AbsCorr = MULTI-SCAN

Data completeness= 0.996

Theta(max)= 25.999

R(reflections)= 0.0513(3957)

wR2(reflections)= 0.1509(4681)

S = 1.082

Npar= 282

The following ALERTS were generated. Each ALERT has the format

test-name_ALERT_alert-type_alert-level.

Click on the hyperlinks for more details of the test.



Alert level C

PLAT094_ALERT_2_C	Ratio of Maximum / Minimum Residual Density	2.69	Report
PLAT341_ALERT_3_C	Low Bond Precision on C-C Bonds	0.00943	Ang.
PLAT910_ALERT_3_C	Missing # of FCF Reflection(s) Below Theta(Min)	6	Note
PLAT911_ALERT_3_C	Missing # FCF Refl Between THmin & STh/L= 0.600	13	Report
PLAT971_ALERT_2_C	Check Calcd Residual Density 1.38A From O1	1.91	eA-3
PLAT971_ALERT_2_C	Check Calcd Residual Density 1.55A From Zn1	1.87	eA-3
PLAT971_ALERT_2_C	Check Calcd Residual Density 1.75A From Cl3	1.83	eA-3



Alert level G

PLAT913_ALERT_3_G	Missing # of Very Strong Reflections in FCF	2	Note
PLAT933_ALERT_2_G	Number of OMIT records in Embedded RES	1	Note
PLAT978_ALERT_2_G	Number C-C Bonds with Positive Residual Density	1	Note

- 0 **ALERT level A** = Most likely a serious problem - resolve or explain
- 0 **ALERT level B** = A potentially serious problem, consider carefully
- 7 **ALERT level C** = Check. Ensure it is not caused by an omission or oversight
- 3 **ALERT level G** = General information/check it is not something unexpected

- 0 ALERT type 1 CIF construction/syntax error, inconsistent or missing data
 - 6 ALERT type 2 Indicator that the structure model may be wrong or deficient
 - 4 ALERT type 3 Indicator that the structure quality may be low
 - 0 ALERT type 4 Improvement, methodology, query or suggestion
 - 0 ALERT type 5 Informative message, check
-

It is advisable to attempt to resolve as many as possible of the alerts in all categories. Often the minor alerts point to easily fixed oversights, errors and omissions in your CIF or refinement strategy, so attention to these fine details can be worthwhile. In order to resolve some of the more serious problems it may be necessary to carry out additional measurements or structure refinements. However, the purpose of your study may justify the reported deviations and the more serious of these should normally be commented upon in the discussion or experimental section of a paper or in the "special_details" fields of the CIF. checkCIF was carefully designed to identify outliers and unusual parameters, but every test has its limitations and alerts that are not important in a particular case may appear. Conversely, the absence of alerts does not guarantee there are no aspects of the results needing attention. It is up to the individual to critically assess their own results and, if necessary, seek expert advice.

Publication of your CIF in IUCr journals

A basic structural check has been run on your CIF. These basic checks will be run on all CIFs submitted for publication in IUCr journals (*Acta Crystallographica*, *Journal of Applied Crystallography*, *Journal of Synchrotron Radiation*); however, if you intend to submit to *Acta Crystallographica Section C* or *E* or *IUCrData*, you should make sure that full publication checks are run on the final version of your CIF prior to submission.

Publication of your CIF in other journals

Please refer to the *Notes for Authors* of the relevant journal for any special instructions relating to CIF submission.

